

Poleas Dentadas "Positive Drive-Pd"


NORMAS: ISO5294-DIN7721



XH

POLEA CIEGA

FIGURASYDIMENSIONES



MATERIAL
de 18 a 120
dientes
Fundición

| Referencia | Válvulas | Nº dientes | R Ø(mm) | S Ø(mm) | U Ø(mm) | e Ø(mm) | d Ø(mm) | XH200 W=65(mm) | | | XH300 W=92(mm) | | | XH400 W=119(mm) | | | | | |
|------------|----------|------------|------------|------------|------------|------------|------------|-------------------|------------|-----------|-------------------|--------|------------|--------------------|-----------|--------|------------|-----------|-----------|
| | | | | | | | | Figura | H Ø(mm) | Y (mm) | Z (mm) | Figura | H Ø(mm) | Y (mm) | Z (mm) | Figura | H Ø(mm) | Y (mm) | Z (mm) |
| 18XH | F | 18 | 127,34 | 124,55 | - | 134 | - | 1 | 100 | 80 | 15 | 1 | 100 | 107 | 15 | 1 | 100 | 135 | 16 |
| 19XH | F | 19 | 134,41 | 131,62 | - | 142 | - | 1 | 107 | 80 | 15 | 1 | 107 | 107 | 15 | 1 | 107 | 135 | 16 |
| 20XH | F | 20 | 141,49 | 138,70 | - | 150 | - | 1 | 114 | 80 | 15 | 1 | 114 | 107 | 15 | 1 | 114 | 135 | 16 |
| 21XH | F | 21 | 148,56 | 145,77 | - | 158 | - | 1 | 122 | 80 | 15 | 1 | 122 | 107 | 15 | 1 | 122 | 135 | 16 |
| 22XH | F | 22 | 155,64 | 152,85 | - | 166 | - | 1 | 128 | 80 | 15 | 1 | 128 | 107 | 15 | 1 | 128 | 135 | 16 |
| 24XH | F | 24 | 169,79 | 167,00 | - | 177 | - | 1 | 141 | 80 | 15 | 1 | 141 | 107 | 15 | 1 | 141 | 135 | 16 |
| 25XH | F | 25 | 176,86 | 174,07 | - | 186 | - | 2 | 90 | 80 | 15 | 1 | 148 | 107 | 15 | 1 | 148 | 135 | 16 |
| 26XH | F | 26 | 183,94 | 181,15 | - | 191 | - | 2 | 90 | 80 | 15 | 1 | 157 | 107 | 15 | 1 | 157 | 135 | 16 |
| 27XH | F | 27 | 191,01 | 188,22 | - | 200 | - | 1 | 158 | 80 | 15 | 1 | 158 | 107 | 15 | 1 | 158 | 135 | 16 |
| 28XH | F | 28 | 198,08 | 195,29 | - | 200 | - | 1 | 169 | 80 | 15 | 1 | 169 | 107 | 15 | 1 | 169 | 135 | 16 |
| 30XH | F | 30 | 212,23 | 209,44 | 170 | 216 | - | 2 | 110 | 80 | 15 | 2 | 110 | 107 | 15 | 2 | 120 | 135 | 16 |
| 32XH | F | 32 | 226,38 | 223,59 | 184 | 232 | - | 2 | 110 | 80 | 15 | 2 | 110 | 107 | 15 | 2 | 120 | 135 | 16 |
| 34XH | F | 34 | 240,53 | 237,74 | 198 | 261 | - | 2 | 110 | 80 | 15 | 2 | 110 | 107 | 15 | 2 | 120 | 135 | 16 |
| 38XH | F | 38 | 268,83 | 266,04 | 227 | 274 | - | 2 | 110 | 80 | 15 | 2 | 110 | 107 | 15 | 2 | 120 | 135 | 16 |
| 40XH | F | 40 | 282,98 | 280,19 | 241 | 288 | - | 2 | 120 | 100 | 35 | 2 | 120 | 100 | 35 | 2 | 120 | 135 | 16 |
| 46XH | | 46 | 325,42 | 322,63 | 283 | - | - | 3 | 120 | 100 | 35 | 3 | 120 | 100 | 35 | 3 | 140 | 135 | 16 |
| 48XH | | 48 | 339,57 | 336,78 | 297 | - | 19 | 4 | 120 | 100 | 35 | 4 | 120 | 100 | 35 | 4 | 140 | 135 | 16 |
| 58XH | | 58 | 410,32 | 407,53 | 368 | - | 19 | 4 | 120 | 100 | 35 | 4 | 120 | 100 | 35 | 4 | 140 | 135 | 16 |
| 60XH | | 60 | 424,47 | 421,68 | 382 | - | 19 | 4 | 130 | 100 | 35 | 4 | 120 | 100 | 35 | 4 | 140 | 135 | 16 |
| 70XH | | 70 | 495,21 | 492,42 | 453 | - | 19 | 5 | 130 | 100 | 35 | 5 | 130 | 100 | 35 | 5 | 140 | 135 | 16 |
| 72XH | | 72 | 509,36 | 506,57 | 467 | - | 19 | 5 | 140 | 100 | 35 | 5 | 140 | 120 | 28 | 5 | 140 | 135 | 16 |
| 78XH | | 78 | 551,81 | 549,02 | 510 | - | 19 | 5 | 140 | 100 | 35 | 5 | 140 | 120 | 28 | 5 | 140 | 135 | 16 |
| 80XH | | 80 | 565,95 | 563,16 | 524 | - | 19 | 5 | 140 | 100 | 35 | 5 | 140 | 120 | 28 | 5 | 140 | 135 | 16 |
| 82XH | | 82 | 580,10 | 577,31 | 538 | - | 19 | 5 | 140 | 100 | 35 | 5 | 140 | 120 | 28 | 5 | 140 | 135 | 16 |
| 84XH | | 84 | 594,25 | 591,46 | 552 | - | 19 | 5 | 150 | 100 | 35 | 5 | 160 | 120 | 28 | 5 | 160 | 135 | 16 |
| 94XH | | 94 | 665,00 | 662,21 | 623 | - | 19 | 5 | 150 | 100 | 35 | 5 | 160 | 120 | 28 | 5 | 160 | 135 | 16 |
| 96XH | | 96 | 679,15 | 676,36 | 637 | - | 19 | 5 | 160 | 100 | 35 | 5 | 160 | 120 | 28 | 5 | 160 | 135 | 16 |
| 118XH | | 118 | 834,78 | 831,99 | 792 | - | 19 | 5 | 160 | 100 | 35 | 5 | 160 | 120 | 28 | 5 | 160 | 135 | 16 |
| 120XH | | 120 | 848,93 | 846,14 | 806 | - | 19 | 5 | 170 | 100 | 35 | 5 | 170 | 120 | 28 | 5 | 170 | 135 | 16 |

