



Type B/E0 (smooth)



Spannrollen

Type B/E2 (smooth)



Spannrollen

Tension roller stock program	Type / Pitch	number of teeth	B [mm]	d_K [mm]	D [mm]	Number of flanges (stock pulley)	d_B [mm]	max. belt width [mm]	B_2 [mm]	G	t [mm]	D_1 [mm]	SW [mm]	$C_{dyn.}$ [N]	$C_{stat.}$ [N]	max. Rotational speeds n [min ⁻¹]
Type B/E0 with excenter, smooth	-	-	34	-	32	0	-	25	42	M6	10	20	17	7,950	3,920	10,000
Type B/E0 with excenter, smooth	-	-	40	-	60	0	-	32	50	M12	20	30	27	19,300	13,100	5,000
Type B/E0 with excenter, smooth	-	-	64	-	60	0	-	50	74	M12	20	30	27	19,300	13,100	5,000
Type B/E0 with excenter, smooth	-	-	40	-	80	0	-	32	50	M12	20	30	27	19,300	13,100	5,000
Type B/E0 with excenter, smooth	-	-	64	-	80	0	-	50	74	M12	20	30	27	19,300	13,100	5,000
Type B/E0 with excenter, smooth	-	-	90	-	80	0	-	75	110	M20	32	45	36	48,000	38,000	5,000
Type B/E0 with excenter, smooth	-	-	40	-	120	0	-	32	50	M12	20	30	27	19,300	13,100	5,000
Type B/E0 with excenter, smooth	-	-	64	-	120	0	-	50	74	M12	20	30	27	19,300	13,100	5,000
Type B/E0 with excenter, smooth	-	-	70	-	120	0	-	50	85	M20	30	45	36	70,500	48,000	5,000
Type B/E0 with excenter, smooth	-	-	90	-	120	0	-	75	110	M20	32	45	36	48,000	38,000	5,000
Type B/E0 with excenter, smooth	-	-	40	-	150	0	-	32	50	M12	20	30	27	19,300	13,100	5,000
Type B/E0 with excenter, smooth	-	-	64	-	150	0	-	50	74	M12	20	30	27	19,300	13,100	5,000
Type B/E0 with excenter, smooth	-	-	90	-	150	0	-	75	110	M20	32	45	36	48,000	38,000	5,000
Type B/E2 with excenter, smooth	-	-	34	-	32	2	41.5	25	42	M6	10	20	17	7,950	3,920	10,000
Type B/E2 with excenter, smooth	-	-	40	-	60	2	71	32	50	M12	20	30	27	19,300	13,100	5,000
Type B/E2 with excenter, smooth	-	-	64	-	60	2	71	50	74	M12	20	30	27	19,300	13,100	5,000

Tension roller stock program	Type / Pitch	number of teeth	B [mm]	d _K [mm]	D [mm]	Number of flanges (stock pulley)	d _B [mm]	max. belt width [mm]	B ₂ [mm]	G	t [mm]	D ₁ [mm]	SW [mm]	C _{dyn.} [N]	C _{stat.} [N]	max. Rotational speeds n [min ⁻¹]
Type B/E2 with excenter, smooth	-	-	40	-	80	2	91	32	50	M12	20	30	27	19,300	13,100	5,000
Type B/E2 with excenter, smooth	-	-	64	-	80	2	91	50	74	M12	20	30	27	19,300	13,100	5,000
Type B/E2 with excenter, smooth	-	-	90	-	80	2	91	75	110	M20	32	45	36	48,000	38,000	5,000
Type B/E2 with excenter, smooth	-	-	40	-	120	2	132	32	50	M12	20	30	27	19,300	13,100	5,000
Type B/E2 with excenter, smooth	-	-	64	-	120	2	132	50	74	M12	20	30	27	19,300	13,100	5,000
Type B/E2 with excenter, smooth	-	-	70	-	120	2	137	50	85	M20	30	45	36	70,500	48,000	5,000
Type B/E2 with excenter, smooth	-	-	90	-	120	2	137	75	110	M20	32	45	36	48,000	38,000	5,000
Type B/E2 with excenter, smooth	-	-	40	-	150	2	162	32	50	M12	20	30	27	19,300	13,100	5,000
Type B/E2 with excenter, smooth	-	-	64	-	150	2	162	50	74	M12	20	30	27	19,300	13,100	5,000
Type B/E2 with excenter, smooth	-	-	90	-	150	2	162	75	110	M20	32	45	36	48,000	38,000	5,000